1 . . . •• . . . ~ S . . . -

Iodel Name: A665D-S5175	Part Number: PSAX0U-04F01P	UPC: 883974686261
 Operating System ^{C1 2} Genuine Windows[®] 7 Home Premium 64-bit Processor³ and Graphics⁴ Vision Technology from AMD - Premium AMD Phenom[™] II Quad-Core Mobile Processor 1.8 GHz, 2MB L2 Cache AMD M880G Chipset ATI Mobility Radeon[™] HD 4250 Graphics with 2 dynamically allocated shared graphics memory Memory⁵ Configured with 4GB DDR3 1066MHz (max 8GE) 2 memory slots. Both slots occupied. Storage Drive ⁶ 640GB (5400 RPM); Serial ATA hard disk drive TOSHIBA Hard Drive Impact Sensor (3D sensor) Fixed Optical Disk Drive⁷ DVD SuperMulti drive with Labelflash[®] supportin Maximum speed and compatibility: CD-RC CD-RW (24x), DVD-ROM (8x), DVD-R (8 DVD-RW (8x), DVD+R (8x), DVD-R (8 DVD-RAM (5x)) Supports Labelflash[®] media to burn high or the disc. Display⁸ 15.6" diagonal widescreen TruBrite[®] TFT display 	 Data 4 USB v2.0 ports Sleep and Charge RJ-45 LAN port P960 56MB-1917MB Security Slot for Security Physical Description Fusion® X2 Finish in Cha Dimensions (W x D x H F without feet Weight: Starting at 5.8 lb Power 65W (19V 3.42A) 100-24 Dimensions (W x H F without feet Weight: Starting at 5.8 lb Power 65W (19V 3.42A) 100-24 Dimensions (W x H F without feet Weight: Starting at 5.8 lb Power 65W (19V 3.42A) 100-24 Dimensions (W x H F without feet Weight: starting at 5.8 lb Power 65W (19V 3.42A) 100-24 Dimensions (W x H F Without feet Weight: starting at 5.8 lb Power 65W (19V 3.42A) 100-24 Dimensions (W x H F Without feet Weight: starting at 5.8 lb Power 65W (19V 3.42A) 100-24 Dimensions (W x H F Without feet Weight: starting at 5.8 lb Power 65W (19V 3.42A) 100-24 Dimensions (W x H F Without feet Weight: starting at 5.8 lb Power 65W (19V 3.42A) 100-24 Dimensions (W x H F Without feet 	(3 USB + 1 eSATA/USB combo with USB Lock n arcoal Front/H Rear): 14.98" x 10.0" x 1.18"/1.48" s. depending upon configuration ¹² IOV/50-60Hz AC Adapter. H x D): 4.21" x 1.85" x 1.20" 0.55 lbs. Dattery pack, sured by MobileMark™ Productivity 2007) ¹ ttery: 4 hours, 30 minutes tillities ace SM ace TM Board
resolution (HD) Native support for 720p content 16:9 aspect ratio LED backlit 	 TOSHIBA DISCON TOSHIBA DVD PI TOSHIBA eco Util TOSHIBA Face R TOSHIBA HDD/SS 	layer lity™ ecognition SD Alert
 Sound Built-in harman/kardon[®] speakers DOLBY[®] Advanced Audio[™] Input Devices Premium Raised Tile LED Backlit Keyboard with Touch pad pointing device with multi-touch control Touch pad Enable/Disable Media Control Buttons: TOSHIBA eco utility[™] (Energy-saving mo Mute Media CD/DVD control buttons Volume up, volume down 	ol o TOSHIBA ReelTin o TOSHIBA Service o TOSHIBA Sleep L o TOSHIBA Supervi o TOSHIBA Value A o TOSHIBA Value A o TOSHIBA Web Ca • Third-party Software o Adobe® Acrobat®	Checkup Controller ¹⁶ ord Utility alth Monitor ery Disc Creator me a Station Jtility isor Password Utility Added Package amera Application Reader
 Communications Webcam and microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability 	 Corel Label@Onc Google[®] Toolbar Google[®] Chrome Internet Explorer 8 Microsoft[®] Office 5 Microsoft[®] Window 	3 Starter 2010 ¹⁷ ws Media Player 12
 ExpressCard[™] slot ((ExpressCard/34) Memory Card Reader Secure Digital, SDHC, miniSD, Memory S required), Memory Stick PRO[™] (adapter Card, xD Picture Card [shared slot] Ports Video RGB		ssentials allery jer aker mes Console Software
 HDMI Audio Microphone input port with Toshiba Sleep Headphone output port 	o Norton Internet Se and Music ¹⁰ o Skype®	ecurity™ 2011 (30-day trial subscription) ackup (30-day trial subscription)

- Microphone input port with Toshiba Sleep and Music¹⁰
- Headphone output port

© Copyright 2011 Toshiba America Information Systems Inc. All Rights reserved. TAIS shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Satellite A665D-S5175

TOSHIBA

Environmental Specifications

- This product is RoHS¹⁸ compatible
- Energy Star Qualified
- EPEAT[™] Gold Compliant

	Operating	Non-operating
Temperature ¹⁹	5° to 35° C	-20° to 60° C
Thermal Gradient	15° C per hour (max)	20° C per hour (max)
Relative Humidity	20% to 80%	10% to 95%
(non-condensing)		
Altitude	0 to 3,000 meters	0 to 10,000 meters
(relative to sea level)		
Shock	10G	60G
Vibration	0.5G	1.0G

1 YEAR STANDARD LIMITED WARRANTY²⁰

 Includes International Limited Warranty for obtaining service when traveling outside the United States.

Service Upgrades and Extensions

Toshiba offers many different enhanced services such as SystemGuard[®], On-Site Repair, and ServiceExpress to provide additional support to your notebook PC. For a full description and complete list of programs and program terms and conditions, please visit www.pcsupport.toshiba.com.

Accessories

For additional and most updated accessories, please visit www.accessories.toshiba.com

Memory Upgrade

Part Number Description PA3677U-1M4G Toshiba 4GB DDR3-1066 memory module

David

Power	
Part Number	Description
PA3717U-1ACA	Toshiba 120W Global AC Adapter
PA3818U-1BRS	Toshiba Primary Li Ion Battery Pack (6 cell)
PA3819U-1BRS	Toshiba Primary High Capacity Li Ion Battery Pack (12
	cell)
Expansion	
Part Number	Description
PA3778U-1PRP	dynadock V USB Docking Station with DVI/VGA port
PA3575U-1PRP	dynadock U USB Docking Station with DVI/VGA port
PA3686U-1SET	dynadock Wireless U Docking Station with Wireless
	USB Adapter
Storage	
Part Number	Description
PA3879U-1M4S	Toshiba 4GB USB Micro Flash Drive
PA3879U-1M8S	Toshiba 8GB USB Micro Flash Drive
PA3879U-1MAS	Toshiba 16GB USB Micro Flash Drive
E05A050CAU2XK	Toshiba 500GB USB 2.0 Port Hard Drive, Raven Black
E05A075PBU2XK	Toshiba 750GB USB 2.0 Portable Hard Drive, Raven
	Black
E05A100PBU3XW	Toshiba 1TB USB 3.0 Portable Hard Drive, Black with
	White accents
Bluetooth	
Part Number	Description
PA3710U-1BTM	Toshiba Bluetooth 2.1+EDR USB Nano Adapter
PA3847U-1ETB	Toshiba Bluetooth Laser Mouse
Carrying Case	
Part Number	Description
PA1446U-1CS6	Toshiba 16" Envoy Ballistic Polyester Carrying Case

Fait Number	Description
PA1446U-1CS6	Toshiba 16" Envoy Ballistic Polyester Carrying Case
	(Fits up to 16")
PA1452U-1BS6	Toshiba 16" Extreme Backpack, Blue (Fits up to 16")
PA1504U-1CMS	Toshiba 16" Extreme Messenger (Fits up to 16")

Subject to Change

While Toshiba has made every effort at the time of publication to ensure the accuracy of the information provided herein, product specifications, configurations, prices, system/component/options availability are all subject to change without notice. For the most up-to-date product information about your computer, or to stay current with the various computer software or hardware options, visit Toshiba's Web site at http://www.pcsupport.toshiba.com

Return Policy

Notwithstanding anything to the contrary in any third party License Agreement or product documentation supplied with your PC, Toshiba America Information Systems, Inc. ("TAIS") does not accept the return of component parts, or bundled software, that have been removed from the PC system. Pro-rata refunds on individual PC components or bundled software, including the operating system, will not be granted. If you wish to return a complete PC system, contact the TAIS dealer where you purchased the product, and comply with the dealer's standard return policies and procedures.

Toshiba America Information Systems, Incorporated ("TAIS") 9740 Irvine Boulevard Irvine CA 92618

ToshibaDirect website: http://www.toshibadirect.com TAIS website for resellers: http://sell.toshiba.com TAIS PC Support website: http://pcsupport.toshiba.com

Satellite and SystemGuard, are registered trademarks of Toshiba America Information Systems, Inc. and/or Toshiba Corporation. All other products and names mentioned are the property of their respective owners.

^{C1}64-bit computing:

⁶⁴⁻bit computing requires that the following hardware and software requirements are met:

TOSHIBA

- 64-bit Operating System
- 64-bit CPU, Chipset and BIOS (Basic Input/Output System)
- 64-bit Device drivers
- 64-bit applications

7.

Certain device drivers and/or applications may not be compatible with a 64-bit CPU and therefore may not function properly. See "Detailed Specs" for more information.

¹ <u>Product Series Legal Footnote</u>. The product specifications and configuration information are designed for a product Series. Your particular model may not have all the features and specifications listed or illustrated. For more detailed information about the features and specifications on your particular model, please visit Toshiba's Web site at pcsupport.toshiba.com.

² Operating System. Also see 64-Bit Computing Legal Footnote, if applicable.

Certain Microsoft[®] software product(s) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software product(s) or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).

Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

³ Processor (Central Processing Unit). Also see 64-Bit Computing Legal Footnote, if applicable.

CPU performance in your computer product may vary from specifications under the following conditions:

- 1. use of certain external peripheral products
- 2. use of battery power instead of AC power
- 3. use of certain multimedia, computer generated graphics or video applications
- use of standard telephone lines or low speed network connections
 use of complex modeling software, such as high end computer aided design applications
- use of several applications or functionalities simultaneously
 - use of computer in areas with low air pressure (high altitude >1,000 meters or >3,280 feet above sea level)
- 8. use of computer at temperatures outside the range of 5°C to 30°C (41°F to 86° F) or >25°C (77°F) at high altitude (all temperature references are

approximate and may vary depending on the specific computer model - please visit the Toshiba website at www.pcsupport.toshiba.com for details).

CPU performance may also vary from specifications due to design configuration.

Under some conditions, your computer product may automatically shut-down. This is a normal protective feature designed to reduce the risk of lost data or damage to the product when used outside recommended conditions. To avoid risk of lost data, always make back-up copies of data by periodically storing it on an external storage medium. Use your computer product only under recommended conditions. Read additional restrictions under "Environmental Conditions" in your product "Detailed Specs." Contact Toshiba Technical Service and Support for more information.

⁴ <u>Graphics (Graphics Processing Unit)</u>. GPU performance may vary depending on product model, design configuration, applications, power management settings and features utilized. GPU performance is only optimized when operating in AC power mode and may decrease considerably when operating in battery power mode.

Total Available Graphics Memory is the total of, as applicable, Dedicated Video Memory, System Video Memory and Shared System Memory. Shared System Memory will vary depending on system memory size and other factors.

⁵ <u>Memory (Main System)</u>. Part of the main system memory may be used by the graphics system for graphics performance and therefore reduce the amount of main system memory available for other computing activities. The amount of main system memory allocated to support graphics may vary depending on the graphics system, applications utilized, system memory size and other factors. Computers configured with a 32-bit operating system can address up to 3GB of system memory. Only computers configured with a 64-bit operating system can address 4 GB or more of system memory.

⁶ <u>Storage Drive.</u> Computer (Internal) HDD Capacity. One Gigabyte (GB) means $10^9 = 1,000,000,000$ bytes using powers of 10. The computer operating system, however, reports storage capacity using powers of 2 for the definition of 1 GB = $2^{30} = 1,073,741,824$ bytes, and therefore shows less storage capacity. Available storage capacity will also be less if the computer includes one or more pre-installed operating systems, such as Microsoft Operating System and/or pre-installed software applications, or media content. Actual formatted capacity may vary.

⁷ Optical Drive. Due to manufacturing and quality variations in third party optical media (e.g., CD or DVD) or optical media players/recorders, in certain cases, your Toshiba optical drive may not record on certain optical media that bear the applicable logo, or playback optical media recorded by other PCs or optical media recorders. Additionally, certain optical media recorded on your optical drive may not playback or operate properly on other PCs or optical media players. These problems are not due to any defect in your Toshiba PC or optical drive. Please refer to your PC's product specification for listing of specific format compatibilities. Recording or viewing of certain optical media may be limited or prevented in accordance with applicable copy protection standards.

⁸ Display. Small bright dots may appear on your screen display when you turn on your PC. Your display contains an extremely large number of thin-film transistors (TFT) and is manufactured using high-precision technology. Any small bright dots that may appear on your display are an intrinsic characteristic of the TFT manufacturing technology. Over a period of time, and depending on the usage of the computer, the brightness of the screen will deteriorate. This is also an intrinsic characteristic of the screen technology. When the computer is operated on battery power, the screen with dim and you may not be able to increase the brightness of the screen while on battery power.

⁹ <u>Wireless-N.</u> The wireless adapter is based on a draft release version of the IEEE 802.11n specification, and may not be compatible with, or support all features (e.g., security) of, certain Wi-Fi® equipment.

¹⁰ Sleep & Music. In this mode, the headphone jack and mute functions are disabled. The volume and sound quality will diminish as the speakers not tuned in Windows® mode. Use the volume control on your audio device to adjust sound. Audio line-in cable is not included

¹¹ <u>USB Sleep & Charge</u>. The "USB Sleep & Charge function" may not work with certain external devices even if they are compliant with the USB specification. In those cases, turn the power of the computer ON to charge the device.

¹² Weight. Weight may vary depending on product configuration, vendor components, manufacturing variability and options selected.

¹³ Battery Life. Battery life may vary considerably from specifications depending on product model, configuration, applications, power management settings and features utilized, as well as the natural performance variations produced by the design of individual components. Published battery life numbers are achieved on select models and configurations tested by Toshiba at the time of publication. See "Detailed Specs" for specific battery measurement test. Recharge time varies depending on usage. Battery may not charge while computer is consuming full power. After a period of time, the battery will lose its ability to perform at maximum capacity and will need to be replaced. This is normal for all batteries. To purchase a new battery pack, see the accessories information that shipped with your computer or visit the Toshiba web site at www.accessories.toshiba.com.

¹⁴ Battery Life - MobileMarkTM. Measured by MobileMark. MobileMark is a trademark of the Business Applications Performance Corporation.

¹⁵ Software. Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

Certain Microsoft[®] software products (including Microsoft Office Small Business Accounting if applicable) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software products or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).

Internet access is required to enable certain functionality of certain Microsoft products (including Microsoft Office Small Business Accounting 2006) which may be included with this computer

Includes Microsoft® Office 2010 preloaded. Purchase a Product Key to activate a full Microsoft Office 2010 suite.

¹⁶ Toshiba Media Controller. Copy protection technology, if any, associated with the content may prevent or limit sharing of content.

¹⁷ <u>Microsoft Office Starter 2010.</u> Office Starter consists of reduced-functionality versions of Word and Excel with advertising. PowerPoint, Outlook, OneNote, Access and Publisher are not included.

¹⁸ RoHS. This notebook is compatible with European Union Directive 2002/95/EC, Restriction of the use of certain Hazardous Substances in electrical and electronic equipment (RoHS), which restricts use of lead, cadmium, mercury, hexavalent chromium, PBB, and PBDE. Toshiba requires its notebook component suppliers to meet RoHS requirements and verifies its suppliers' commitment to meeting RoHS requirements by conducting component sampling inspections during the product design approval process.

¹⁹ <u>Temperature (Environmental) Conditions</u>. All temperature references are approximate and the performance of your computer may vary from specifications even when operating within the recommended temperature range.

²⁰ <u>Warranty.</u> The terms and conditions of Toshiba's standard limited warranty are available at <u>www.warranty.toshiba.com</u>.